

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed or inhaled. Avoid contact with eyes, skin and clothing. Avoid breathing spray mist or vapor. Avoid contamination of food.

Food utensils such as tablespoons or measuring cups should not be used for food purposes after use with pesticides.

FIRST AID

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You may also contact 1-800-222-1222 or 1-800-900-4044 for emergency medical treatment information.

If Swallowed	<ul style="list-style-type: none"> • Immediately call a Poison Control Center or doctor. • Do not induce vomiting unless told to do so by the Poison Control Center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
If On Skin Or Clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15–20 minutes. • Call a Poison Control Center or doctor for treatment advice.
If In Eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15–20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice.
If Inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a Poison Control Center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Contains petroleum distillate—vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment wash water.

NON-WARRANTY: Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the Seller.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.



ferti·lome®



Dormant Spray And Summer Oil Spray

- Controls Scale on Ornamentals, Flowering Shrubs and Trees Around The Home.
- Can Be Used Anytime Temperature Is Not Over 90°F.
- For Homeowner Use Only.

ACTIVE INGREDIENT:

Refined Petroleum Distillate* 98.8%

INERT INGREDIENTS: 1.2%

TOTAL: 100.0%

*Un sulfonated Residue of Petroleum Distillate 92.0% Min.

*50% Distillation Point of Petroleum Distillate 414.0°F

*Flash Point 345.0°F

Weight per Gallon 7.2 lbs.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional
Precautionary Statements.

NET CONTENTS ONE QUART (32 Fl. Ozs.)

VOLUNTARY PURCHASING GROUPS, INC.

P. O. BOX 460
BONHAM, TEXAS 75418
EPA Reg. No. 7401-9
EPA Est. No. 7401-TX-1
8M-31-116H



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

1. WHAT IS THIS PACKAGE FOR?

ferti-lome® DORMANT SPRAY AND SUMMER OIL SPRAY is effective in controlling **Scale** on Ornamentals, Shrubs, Fruit Trees and Shade Trees.

2. HOW DO YOU USE IT?

ORNAMENTALS

Mix 3 tablespoonfuls of **ferti-lome® DORMANT SPRAY AND SUMMER OIL SPRAY** in one gallon of water. Repeat application at 14 to 21 day intervals until **Scale** is controlled. Make sure the undersides of branches and leaves are wet with the spray.

ferti-lome® DORMANT SPRAY AND SUMMER OIL SPRAY may be mixed with other Insecticides and with Fungicides, except those containing Sulphur. **ferti-lome® DORMANT SPRAY AND SUMMER OIL SPRAY** may cause Plant injury in House Plants such as Ivy, Ferns, and the like. Do not spray Plants in mid-day with this spray if temperature is above 90°F. Spray in late afternoon or early morning.

FRUIT TREES

To control **San Jose Scale** on Peaches, Plums, Pears and Apple Trees, **Obscure Scale** on Pecans: Spray Trees thoroughly (During Dormant Season only) with 6 tablespoonfuls of **ferti-lome® DORMANT SPRAY AND SUMMER OIL SPRAY** in 1 gallon of water. Dormant Season is before the scales slip, or at, or prior to bud swell. Repeat in 3 to 4 weeks if necessary.

3. HERE ARE THE RESULTS YOU MAY EXPECT!

ferti-lome® DORMANT SPRAY AND SUMMER OIL SPRAY when used according to directions, is an effective and economical way to control **Scale** on Ornamentals, Shrubs and Shade Trees, such as **Tea Scale** on Camellias, **Oleander Scale** on Oleanders, **Juniper Scale** on Junipers, **Azalea Scale** on Azaleas, **White Peach Scale** on Privet, **Scale** on Citrus Trees, **Rose Scale** on Roses and **Magnolia Scale** on Magnolias.

STORAGE AND DISPOSAL

STORAGE: Store in original container. Keep in an area inaccessible to children and pets.

DISPOSAL: If Empty: Do not reuse this container. Place in trash or offer for recycling if available. If Party Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.